WR-38

Date: 09.04.2014

GIVEN, WV 25245

Oil and Gas Inspector

API# 47-13-0638-P

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective

Farm name: LOCATION:	Morgan, David		Op	erator Well	No:	Armar	nda Elliott #5		
LOCATION:		996'	Qu	adrangle:	Millsto	Millstone 7.5			
		Sherman	Co	unty:	Calho	ın			
	Longitude:	Feet South of	00 Deg		n. 00				
	Longitude.	Feet West of	00 Deg	g. 00 Mi	n. 00	Sec.			
Well Type:	OIL	GAS XX	XX_						
Company:	S.I. Meadows	Jr. Production, Inc.	0						
	45 Meadows Dri	VA		u Operator		<u> N/A</u>			
	Ravenswood, W		Of C	wner	-				
Amanta			Coa	l Lessee		N/A			
Agent:	S.L. Meadows, J	<u>r</u>	Witl	n declaratio	n				
Permit Issued Date:	04/02/0042								
remit issued Date.	04/23/2013	A FIVER A							
		AFFIDA	VIT				•		
STATE OF WEST VIR	RGINIA								
County ofCalho	un	ss:							
Jacob	Snider	and Jackie Carr	enter		heina	firet dub	/ SWOTE according		
and and an and and an	e named well opera	itor, and participate	a in the v	vork of plug	ging and	d filling t	he ahove well and		
commenced on the 22	day of August, 20	014 and that the	e well wa	s plugged a	nd filled	in the fo	ollowing manner:		
TYPE									
Coment	FROM	To		PIPE	REMO	VED.			
cement		T()		REMO		LEFT		
Cement	2150'	205	50'	Rods		2150'	LEFT		
Cement	2150' RESET 2150'	205	90, 90,	Rods 2"		2150' 2160'	LEFT 0 0		
Cement Cement	2150' RESET 2150' 1560'	205 205 145	0, 90, 90,	Rods 2" 5 ½ "		2150'	LEFT		
Cement Cement Cement	2150' RESET 2150' 1560' 1030'	205 205 145 92	0, 0, 0,	Rods 2"		2150' 2160'	LEFT 0 0		
Cement Cement Cement Cement	2150' RESET 2150' 1560' 1030' 520'	205 205 145 92 40	O, (O, (O)	Rods 2" 5 ½ "		2150' 2160' 419'	LEFT 0 0 NO RECORD		
Cement Cement Cement Cement Cement	2150' RESET 2150' 1560' 1030' 520' RESET 520	205 205 145 92 40	O, (O, (O)	Rods 2" 5 ½ "		2150' 2160' 419'	LEFT 0 0 NO RECORD		
Cement Cement Cement Cement	2150' RESET 2150' 1560' 1030' 520'	205 205 145 92 40	O'	Rods 2" 5 ½ "		2150' 2160' 419'	LEFT 0 0 NO RECORD		
Cement Cement Cement Cement Cement	2150' RESET 2150' 1560' 1030' 520' RESET 520	205 205 145 92 400 0' 400	D'	Rods 2" 5 ½ "		2150' 2160' 419' 204'	LEFT 0 0 NO RECORD		
Cement Cement Cement Cement Cement Cement Cement Cement	2150' RESET 2150' 1560' 1030' 520' RESET 520' 250' 152'	205 205 145 920 400 0' 400	D'	Rods 2" 5 ½ "		2150' 2160' 419' 204'	LEFT 0 0 NO RECORD 1882'		
Cement	2150' RESET 2150' 1560' 1030' 520' RESET 520' 250' 152' n Cement Plugs	205 205 145 920 400 0' 400 To sui	0 00' 00' 00' 00' 00' 00' 00' 0	Rods 2" 5 ½ " 7"	- с	2150' 2160' 419' 204'	LEFT 0 0 NO RECORD 1882' CEIVED FOIL and Gas		
Cement Cement Cement Cement Cement Cement Cement Cement	2150' RESET 2150' 1560' 1030' 520' RESET 520' 250' 152' n Cement Plugs	205 205 145 920 400 0' 400 To sui	0 00' 00' 00' 00' 00' 00' 00' 0	Rods 2" 5 ½ "	- с	2150' 2160' 419' 204'	LEFT 0 0 NO RECORD 1882' CEIVED FOIL and Gas		
Cement	2150' RESET 2150' 1560' 1030' 520' RESET 520' 250' 152' n Cement Plugs	205 205 145 920 400 0' 400 To sui	0 00' 00' 00' 00' 00' 00' 00' 0	Rods 2" 5 ½ " 7"	- с	2150' 2160' 419' 204'	LEFT 0 0 NO RECORD 1882' CEIVED FOIL and Gas		
Cement Cement Cement Cement Cement Cement Cement Cement Tement 6 % Gel betwee Tag Plug @ 2045', 928	2150' RESET 2150' 1560' 1030' 520' RESET 520' 250' 152' In Cement Plugs 1, 152'; Shot 5 1/2 "	205 205 145 920 400 0' 400 To sui	0 00' 00' 00' 00' 00' 00' 00' 00'	Rods 2" 5 ½ " 7" Shot 7" (C 457', :	2150' 2160' 419' 204' RE Vffice o	LEFT 0 0 NO RECORD 1882' CEIVED FOIL and Gas		
Cement Cement Cement Cement Cement Cement Cement Cement Tement 6 % Gel betwee Tag Plug @ 2045', 928 Description of monume	2150' RESET 2150' 1560' 1030' 520' RESET 520' 250' 152' In Cement Plugs 7, 152'; Shot 5 ½ "6	205 205 205 145 92 400 0' 400 To sui @ 1512', 981', 469	0 00' 00' 00' 00' 00' face ', FREE;	Rods 2" 5 1/2 " 7" Shot 7" (2) 457', :	2150' 2160' 419' 204' Pffice o	LEFT 0 0 NO RECORD 1882' CEIVED FOIL and Gas		
Cement Cement Cement Cement Cement Cement Cement Cement Tement 6 % Gel betwee Tag Plug @ 2045', 928 Description of monume said well was complete	2150' RESET 2150' 1560' 1030' 520' RESET 520' 250' 152' In Cement Plugs 7, 152'; Shot 5 ½ "6 ant: 7 inch casing — 8 d on the 4	205 205 205 145 92 400 0' 400 To sui @ 1512', 981', 469	0 00' 00' 00' 00' 00' face ', FREE;	Rods 2" 5 1/2 " 7" Shot 7" (2) 457', :	2150' 2160' 419' 204' Pffice o	LEFT 0 0 NO RECORD 1882' CEIVED FOIL and Gas		
Cement Cement Cement Cement Cement Cement Cement Cement Tement 6 % Gel betwee Tag Plug @ 2045', 928 Description of monume said well was complete And further deponents:	2150' RESET 2150' 1560' 1030' 520' RESET 520' 250' 152' In Cement Plugs ', 152'; Shot 5 ½ " ont: 7 inch casing – 8 d on the saith not.	205 205 206 145 920 400 0' 400 To sur @ 1512', 981', 469 3 ft long with API# In day Mendon	O io' io' o' o' o' o' face ', FREE; welded or of	Rods 2" 5 1/2 " 7" Shot 7" (2) 457', :	2150' 2160' 419' 204' Pffice o	LEFT 0 0 NO RECORD 1882' CEIVED FOIL and Gas F2 9 2014 Engangment of ental Protection		
Cement Cement Cement Cement Cement Cement Cement Cement Tement Cement Cement Output Cement Ce	2150' RESET 2150' 1560' 1030' 520' RESET 520' 250' 152' n Cement Plugs ', 152'; Shot 5 ½ " ont: 7 inch casing – 8 d on the saith not.	205 205 206 2145 920 400 0' 400 To sur @ 1512', 981', 469 8 ft long with API# In day Gay Gay Gay Gay	of	Rods 2" 5 1/2 " 7" Shot 7" (2) 457', :	2150' 2160' 419' 204' Pffice o	LEFT 0 0 NO RECORD 1882' CEIVED FOIL and Gas		
Cement Cement Cement Cement Cement Cement Cement Cement Tement 6 % Gel betwee Tag Plug @ 2045', 928	2150' RESET 2150' 1560' 1030' 520' RESET 520' 250' 152' n Cement Plugs 1, 152'; Shot 5 ½ " ont: 7 inch casing — 8 d on the	205 205 206 145 920 400 0' 400 To sur @ 1512', 981', 469 3 ft long with API# In day Mendon	of	Rods 2" 5 1/2 " 7" Shot 7" (2) 457', :	2150' 2160' 419' 204' Pffice o	LEFT 0 0 NO RECORD 1882' CEIVED FOIL and Gas F2 9 2014 Engangment of ental Protection		

Notary Public

WR-38

Date: <u>09.18.2014</u>

API# <u>047-013-2783-</u>P

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Morga	_	Operator Well No: Arma					Arman	anda Elliott No. 6			
LOCATION:	Elevation:			_								
	District: She									un		
	Latitude:		South o			Deg.				Sec.		
	Longitude:	Feet	West of	T	00	Deg.	00	Min.	. 00	Sec.		
Well Type:	OIL		GAS_	XXX	(X	-						
Company:	S L Meadows	Jr. Pro	duction .	Inc.		Coal	Oper	ator		N/A		
• •	45 Meadows					or ov	-					
	Ravenswood			_				•				
							_	-				
Aganti	C.I. Mandaus	1				Coal					·	
Agent:	S.L. Meadows,	Jr.		_		with	aecia	ratio	n			
Permit Issued Date:	04.23.2	2013										
Tomic looded Date.	04.20.2	2013	AFF	– IDAV	ΉT							
•					••							
STATE OF WEST VIRO	SINIA,											
County ofCalhou				SS:								
Jacob S	Snider	$_$ and $_$	Jackie (Carpe	ente	r	be	ing fi	rst du	ily sworr	according t	o law
depose and say that the	ey are experiend	ced in th	ie work c	of plu	ggir	ng and	d fillin	g oil a	ind ga	is wells a	and were emp	loyed
by the above named we	ell operator, and	participa	ated in th	e wo	rk o	f plug	ging a	ind fill	ing the	e above v	well, and _.	•
the 5th day of Septem	_Oil and Gas I	nspecto	r represe	enting	tne	Dire	ctor,	say th	at sal	d work w	as commenc	ed on
the 5 day of Septen	1001 ,2014	and th	at the we	aı wa	s pi	ugged	ı and	rillea i	n tne		manner:	
TVPF	EDOM			TO						WED		CT
TYPE	FROM 2050'			TO)				REMO		LE	
TYPE Cement	2050'			TO 1950	0'		Ro	PIPE I	204	17'	LE 1	
TYPE Cement Cement	2050' 965'			1950 860), 0,		Ro 2"	PIPE I	204 204	17' 061'	0 0	1
Cement Cement Cement	2050' 965' 508'			1950 860 400),), 0,		Ro 2"	PIPE I	204 204	17'	LE 1	1
Cement Cement Cement Cement Cement	2050' 965'			1950 860),), 0,		Ro 2"	PIPE I	204 204	17' 061'	0 0	1
Cement Cement Cement Cement Cement Cement Cement	2050' 965' 508'			1950 860 400),), 0,		Ro 2"	PIPE I	204 204	17' 061'	0 0	1
Cement Cement Cement Cement Cement	2050' 965' 508'			1950 860 400),), 0,		Ro 2"	PIPE I	204 204	17' 061'	0 0	1
Cement Cement Cement Cement Cement Cement Cement	2050' 965' 508' 260'			1950 860 400),), 0,		Ro 2"	PIPE I	204 204	17' 061'	0 0	1
Cement Cement Cement Cement Cement Cement Cement Cement	2050' 965' 508' 260'			1950 860 400 Surfa),), 0,		Ro 2"	PIPE I	204 204	17' 061'	0 0	1
Cement Cement Cement Cement Cement Cement Cement Cement Cement	2050' 965' 508' 260' nt Plugs st. 7 inch casing ton the	911, 455	5', & 208'	1956 860 400 Surfa	weld		Ro 2" 6	PIPE ds 5/8"	204 20 at the	061'	olugging and f	illing
Cement Cement Cement Cement Cement Cement Cement Cement Tag Plug @1954', 398' Description of monumer said well was completed And further deponents s	2050' 965' 508' 260' ht Plugs Shot 7" @ don the saith not.	911, 455 - 8 ft lo 19 th	5', & 208'	1956 860 400 Surfa	weld		Ro 2" 6	PIPE ds 5/8"	204 20 at the	061'	olugging and f	illing
Cement Cement Cement Cement Cement Cement Cement Cement Cement Tag Plug @1954', 398' Description of monumer said well was completed And further deponents s Sworn and subscribe be	2050' 965' 508' 260' nt Plugs st. 7 inch casing ton the caith not. fore me this	911, 455 – 8 ft lo	5', & 208' ng with A	1956 860 400 Surfa	weld		Ro 2" 6	PIPE ds 5/8"	204 20 at the	061'	olugging and f	illing D. Gas
Cement Cement Cement Cement Cement Cement Cement Cement Tag Plug @1954', 398' Description of monumer said well was completed And further deponents s Sworn and subscribe be	2050' 965' 508' 260' ht Plugs Shot 7" @ ont: 7 inch casing ton the saith not. fore me this	911, 455 - 8 ft lo 19 th	5', & 208' ng with A	1956 860 400 Surfa	weld		Ro 2" 6	PIPE ds 5/8"	204 20 at the	061'	olugging and f	illing D. Gas
Cement Cement Cement Cement Cement Cement Cement Cement Cement Tag Plug @1954', 398' Description of monumer said well was completed And further deponents s Sworn and subscribe be STATE OF WEST NOTARY PUE	2050' 965' 508' 260' ht Plugs to Tinch casing don the saith not. fore me this	911, 455 - 8 ft lo 19 th	5', & 208' ng with A	1956 860 400 Surfa	weld		Ro 2" 6	PIPE ds 5/8"	204 20 at the	061'	olugging and f	illing 1 Gas
Cement Cement Cement Cement Cement Cement Cement Cement Cement Tag Plug @1954', 398' Description of monumer said well was completed And further deponents s Sworn and subscribe be STATE OF WEST NOTARY PUR MILDRED L. CRT. 1 BOX	2050' 965' 508' 260' nt Plugs t: 7 inch casing on the saith not. fore me this saith not.	911, 455 - 8 ft lo 19 th	5', & 208' ng with A	1956 860 400 Surfa	welcoof_	iled or	Ro 2" 6	nd that otemb	204 20 at the	work of p	olugging and facceiver of Oil and Departme	illing D Gas 014
Cement Tag Plug @1954', 398' Description of monumer said well was completed And further deponents s Sworn and subscribe be state of west notary put MILDRED L. Central Box Given Wy 2	2050' 965' 508' 260' nt Plugs the Tinch casing of the casing on the casinh not. fore me this salt of the casing	911, 455 - 8 ft lo 19 th	5', & 208' ng with A	1956 860 400 Surfa	welcoof_		Ro 2" 6	nd that otemb	204 20 at the	work of p	olugging and f	illing D Gas 014
Cement Cement Cement Cement Cement Cement Cement Cement Cement Tag Plug @1954', 398' Description of monumer said well was completed And further deponents s Sworn and subscribe be STATE OF WEST NOTARY PUR MILDRED L. CRT. 1 BOX	2050' 965' 508' 260' nt Plugs the Tinch casing of the casing on the casinh not. fore me this salt of the casing	911, 455 - 8 ft lo 19 th	5', & 208' ng with A	1956 860 400 Surfa	welcoof_	iled or	Ro 2" 6	nd that otemb	204 20 at the	work of p	olugging and facceiver of Oil and Departme	illing D Gas 014
Cement Tag Plug @1954', 398' Description of monumer said well was completed And further deponents s Sworn and subscribe be state of west notary put MILDRED L. Central Box Given Wy 2	2050' 965' 508' 260' nt Plugs the Tinch casing of the casing on the casinh not. fore me this salt of the casing	911, 455 - 8 ft lo 19 th	5', & 208' ng with A	1956 860 400 Surfa	welcoof_	iled or	Ro 2" 6	nd that otemb	204 20 at the	work of p	olugging and facceiver of Oil and Departme	illing D Gas 014

API# 47-21-00718

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

	- Coubial Earlis	er Compar	ıy	_Operate	or Weil	No.: 1544	01 (901	0)	
LOCATION:	Elevation: 1151	•		Quadi	rangle:	Tanner			
	District: DeKa			Count	tv [.]	Gilmer			
	Latitude:	Feet	South of	. 00u	Jen .y.	Min		Soc	
	Longitude:								
	Longitude	1.66	i vvesi oi		_Deg	iviin.	• ———	Sec.	
Well Type: C	OIL GAS	x							
Company	EQT Production	on Company	Coal Op	erator	H.M. Be	ennett Jr. Trus	itee		
	1710 Pennsylvania	Avenue	or Own	er	PO Box			REC	EIVED
	Charleston, WV 253	302	_		Weston	, WV 26452-0	166	Office of C	Dil and Gas
			Coal O	perator			· · · · · · · · · · · · · · · · · · ·		
Agent	John Demato		or Owne	er				OCT 3	0 2014
Permit Issue	ed Date 5-30)-2014	_						
								WV Depa	artment of
STATE OF JAH	est virgini a, K	· Y	A	FFIDAV	'IT		Er		tal Protection
County of FI		• ,							
	,								
Charles Moore		and Rodney Os	sborne			_being first	duly swo	rn according to	law depose
and say that the	ey are experienced	in the work of	f plugging a	nd filling			. *		
Wali aparatar				ina illiing	oil and	gas wells and	d were em _l	ployed by the a	bove named
the 10th	and participated in	the work of p	lugging an	d fillina	the above	ve well sav	that said	work was com	bove named nmenced on
the 10th	day of September	the work of p	lugging an	d fillina	the above	ve well sav	that said	work was com	bove named nmenced on
the 10th	day of September	the work of p er, 20 <u>14</u>	lugging an , and the v	d filling well was	the above	ve well say	that said	work was com wing manner:	bove named nmenced on
the <u>loar</u>	FROM	the work of p	lugging an , and the v	d filling well was	the above plugged	ve well say d and filled	that said	work was com wing manner: LEFT	bove named nmenced on
TYPE	FROM	the work of per , 2014	lugging an , and the v	d filling well was	the above	ve well say d and filled	that said	work was comwing manner: LEFT 1532' of 6 5/8"	bove named nmenced on
TYPE Class A Cement	FROM 2079'	the work of per , 20 14	lugging an , and the v	d filling well was	the above plugged	ve well say d and filled	that said	work was comwing manner: LEFT 1532' of 6 5/8" 1112' of 8 1/4"	bove named nmenced on
TYPE Class A Cement Class A Cement	FROM 2079' 1953'	To 195	lugging an , and the v	d filling well was	the above plugged	ve well say d and filled	that said	work was comwing manner: LEFT 1532' of 6 5/8"	bove named nmenced on
TYPE Class A Cement Class A Cement	FROM 2079' 1953' 1575'	To 195	lugging an , and the v	d filling well was	the above plugged	ve well say d and filled	that said	work was comwing manner: LEFT 1532' of 6 5/8" 1112' of 8 1/4"	bove named nmenced on
TYPE Class A Cement Class A Cement Class A Cement Class A Cement	FROM 2079' 1953' 1575' 1387'	To 195 186 143	lugging an , and the v	d filling well was	the above plugged	ve well say d and filled	that said in the follo	work was comwing manner: LEFT 1532' of 6 5/8" 1112' of 8 1/4" 356' of 10"	nmenced on
TYPE Class A Cement	FROM 2079' 1953' 1575' 1387' 1165'	To 195 186 143 120 998	lugging an , and the v	d filling well was	the above plugged PE REN 404' of 6	ve well say dand filled	that said in the follo	Work was comwing manner: LEFT 1532' of 6 5/8" 1112' of 8 1/4" 356' of 10"	nmenced on
TYPE Class A Cement	FROM 2079' 1953' 1575' 1387' 1165' 409' 220'	To 195 186 143 120 998 295 Surfa	lugging and the v	d filling well was PIF	the above plugged PE REA 404' of 6	ve well say d and filled	that said in the follo	work was comwing manner: LEFT 1532' of 6 5/8" 1112' of 8 1/4" 356' of 10"	nmenced on
TYPE Class A Cement	FROM 2079' 1953' 1575' 1387' 1165' 409' 220' f monument: 7" cas	To 195 186 143 120 998 295 Surfa	lugging an , and the v	d filling well was PIF *6% ge	the above plugger PEREN 404' of 6	d and filled MOVED 5/8*	Perfd 10 holes Perfd 3 holes	Work was comwing manner: LEFT 1532' of 6 5/8" 1112' of 8 1/4" 356' of 10"	nmenced on 257,1147,1103,1015 1507, 1007, and 50"
TYPE Class A Cement	FROM 2079' 1953' 1575' 1387' 1165' 409' 220'	To 195 186 143 120 998 295 Surfa	lugging an , and the v	d filling well was PIF *6% ge	the above plugged PE REA 404' of 6	d and filled MOVED 5/8*	Perfd 10 holes Perfd 3 holes	Work was comwing manner: LEFT 1532' of 6 5/8" 1112' of 8 1/4" 356' of 10"	nmenced on 257,1147,1103,1015 1507, 1007, and 50"
TYPE Class A Cement	FROM 2079' 1953' 1575' 1387' 1165' 409' 220' of monument: 7" casompleted on the 18	the work of p 20 14 To 195 186 143 120 998 Surfacting w/ EQT and th day of Set	O O O O O O O O O O O O O O O O O O O	*6% go	the above plugger PEREN 404' of 6 el from 207 und 20 14.	d and filled MOVED 5/8*	Perfd 10 holes Perfd 3 holes	Work was comwing manner: LEFT 1532' of 6 5/8" 1112' of 8 1/4" 356' of 10" sech @ 1326',1466',1336',1301',1301',1301',1300',200', 200'	257,1147,1103,1015 150', 100', and 50'
TYPE Class A Cement	FROM 2079' 1953' 1575' 1387' 1165' 409' 220' f monument: 7" cas	the work of p 20 14 To 195 186 143 120 998 Surfacting w/ EQT and th day of Set	O O O O O O O O O O O O O O O O O O O	d filling well was PIF *6% ge	the above plugger PEREN 404' of 6 el from 207 und 20 14.	d and filled MOVED 5/8*	Perfd 10 holes Perfd 3 holes	Work was comwing manner: LEFT 1532' of 6 5/8" 1112' of 8 1/4" 356' of 10" sech @ 1326',1466',1336',1301',1301',1301',1300',200', 200'	257,1147,1103,1015 150', 100', and 50'
TYPE Class A Cement	FROM 2079' 1953' 1575' 1387' 1165' 409' 220' of monument: 7" casompleted on the 18	the work of p 20 14 To 195 186 143 120 998 Surfacting w/ EQT and th day of Set	O O O O O O O O O O O O O O O O O O O	*6% go	the above plugger PEREN 404' of 6 el from 207 und 20 14.	d and filled MOVED 5/8*	Perfd 10 holes Perfd 3 holes	Work was comwing manner: LEFT 1532' of 6 5/8" 1112' of 8 1/4" 356' of 10"	257,1147,1103,1015 150', 100', and 50'
TYPE Class A Cement Assertion of the company of the	FROM 2079' 1953' 1575' 1387' 1165' 409' 220' of monument: 7" case ompleted on the 18 deponents saith not	the work of per, 20 14 Tri 195 186 143 120 998 298 Surfa sing w/ EQT and th day of _Se	API # 36" al	*6% go	the above plugger PEREN 404' of 6 el from 207 und 20 14.	d and filled MOVED 5/8*	Perfd 10 holes Perfd 3 holes	Work was comwing manner: LEFT 1532' of 6 5/8" 1112' of 8 1/4" 356' of 10" Peach @ 1526', 1466', 1356', 1301'; Peach @ 350', 300', 200', Work of pluggir Work of pluggir	257,1147,1103,1015 150', 100', and 50'
TYPE Class A Cement Assertion of the company of the	FROM 2079' 1953' 1575' 1387' 1165' 409' 220' of monument: 7" casompleted on the 18	the work of per, 20 14 Tri 195 186 143 120 998 298 Surfa sing w/ EQT and th day of _Se	API # 36" al	*6% go	the above plugger PEREN 404' of 6 el from 207 und 20 14.	d and filled MOVED 5/8*	Perfd 10 holes Perfd 3 holes	Work was comwing manner: LEFT 1532' of 6 5/8" 1112' of 8 1/4" 356' of 10" work @ 1326',1466',1356',1301'; each @ 350', 300', 200', work of pluggir work of pluggir NOT PU	257,1147,1103,1015 1507, 1007, and 507
TYPE Class A Cement And further co	FROM 2079' 1953' 1575' 1387' 1165' 409' 220' of monument: 7" case ompleted on the 18 deponents saith not subscribe before me	the work of per, 20 14 Tri 195 186 143 120 998 298 Surfa sing w/ EQT and th day of _Se	API # 36" al	*6% go	the above plugger PEREN 404' of 6 el from 207 und 20 14.	d and filled MOVED 5/8*	Perfd 10 holes Perfd 3 holes	Work was comwing manner: LEFT 1532' of 6 5/8* 1112' of 8 1/4* 356' of 10" Mach @ 1328',1468',1350',1301', 1301', 1301', 1301', 140	nmenced on 257,1147,1107,1018 1507, 1007, and 507 Ing and filling ARRY 3LIC 426403 IMISSION
TYPE Class A Cement Assertion of the company of the	FROM 2079' 1953' 1575' 1387' 1165' 409' 220' of monument: 7" case ompleted on the 18 deponents saith not subscribe before me	the work of per, 20 14 Tri 195 186 143 120 998 298 Surfa sing w/ EQT and th day of _Se	API # 36" al	*6% go	the above plugger PEREN 404' of 6	ve well say d and filled MOVED 15/8* 19' to Surface and	Perfd 10 holes Perfd 3 holes	Work was comwing manner: LEFT 1532' of 6 5/8* 1112' of 8 1/4* 356' of 10" Mach @ 1328',1468',1350',1301', 1301', 1301', 1301', 140	amenced on 257,1147,1109,1015 1507, 1007, and 507 ag and filling ARRY SLIC
TYPE Class A Cement And further co	FROM 2079' 1953' 1575' 1387' 1165' 409' 220' of monument: 7" case ompleted on the 18 deponents saith not subscribe before me	the work of per, 20 14 Tri 195 186 143 120 998 298 Surfa sing w/ EQT and th day of _Se	API # 36" al	*6% go	the above plugger PEREN 404' of 6	d and filled MOVED 5/8*	Perfd 10 holes Perfd 3 holes	Work was comwing manner: LEFT 1532' of 6 5/8* 1112' of 8 1/4* 356' of 10" Mach @ 1328',1468',1350',1301', 1301', 1301', 1301', 140	nmenced on 257,1147,1107,1018 1507, 1007, and 507 Ing and filling ARRY 3LIC 426403 IMISSION

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Bennett,	W.G.			Operato	or Well	No.: 154441(V	VG Bennett #	6613)		
LOCATION:	Elevation	1140'					Tanner				
		DeKalb					Gilmer				
						•	Min	Si	 ec		
							Min.				
Well Type: (GAS X									
Company	Company EQT Production Company Coal O 1710 Pennsylvania Avenue or Own		Coal Op	perator H.M. Bennett Jr. Trust			99		RECEIV	₽D	
	Charleston,	<u> </u>		or Owne	er	PO Box			Office	of Oll a	ind Coo
	<u> </u>	111 20002		Coal Or	nerator	Weston, WV 26452-0166		96		o Oli a	inu Gas
Agent	John Dei	mato		or Owne						CT 302	014
Permit Issue	ed Date	7-9-14									
STATE OF W				Al	FFIDAV	IT		E	WV (nvironi	Departm mental F	ent of Protection
	• •						•				
Charles Moore			dney Osl				_being first dogs wells and v	uly sworn a	ccording	to law depo	ose
well operator,	and particip	ated in the wo	rk of plu	agging and	d fillina 1	the abo	ve well say the	at said wo	k was c	nmenced	on
TYPE	FF	ROM	TC)	PIF	E REI	MOVED		LEFT		7
6% Gel		123'	Surfac	: e		598' o	f 5"		1231' of 8 1/	4"	7
Class A Cement		110'	1995					ļ	1339' of 5 1/	2"]
Class A Cement		984'	1755]
Class A Cement Class A Cement		291'	926'								4
Class A Cement		220'	487' Surfac								4
			Ouriac	-						,1146',1063',998'	
						-		Perrid 3 holes ea	ach @ 200', 1	150', 100', and 50	기
•		t: 7" casing w/ E					and	that the worl	k of plugg	ging and filli	ng
said well was c	ompleted or	the <u>10th</u> da	ay of Sep	tember	, 2	0 <u>14</u> .					
And further	deponents s	aith not.	Ch	irles '	moor	بو				ANO.	
			10	2	P _			. في المجي	· · · · · · · · · · · · · · · · · · ·		•
Sworn and s	ubscribe be	fore me this	cth	y of	eD		20 14	S.	ne de la del Ne de Comme	ISSION	
My commission	expires:	7-26-10	4	Y	nic	كلبيا	La Hou	nolin	EXPIR ICEIR V	110 . A. &	f
Affido.it		7 24 103	_	L	ASI	/ /	naiy FUDIIC	''''''''''''''''''''''''''''''''''''''	Ministerior	WWW. THERE	
Affidavit review	ed by the Of	tice of Oil and	Gas:	Digge	UN	en-	10.3.17	Title:	nsper	stex	,

WR-38 Office of Oil & Gas

OCT 29 2014

DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Harrison Co. E	oard of Edu	Operat	or Well No.: Lown	des #6	
LOCATION:	Elevation: 1092	<u> </u>	Quad	rangle: Wolf S	ummit 7.5'	
	District: Clark			ty: Harris		
	Latitude:			Deg Min.		 -
	Longitude:	Feet West	of	Deg. Min.	Se.	r
1A/-11 70			-			.
vveii Type:	OIL GAS _	<u>x</u>				
Company	PDC Mountainee		Operator	H. Dotson Car	ther, Truste	¥e
	120 Genesis Bl	va or Ov	vner	315 Spring A	venue	
	Bridgeport, WV			Clarksburg, 1		
A			Operator	Laura Goff Da	avis	
Agent	Steven P. John		vner	PO Box 707		
Permit Issue	ed Date	19/2014		Clarksburg, W	√V 26301	
			AFFIDAV	ИT		
STATE OF W	EST VIRGINIA,					
County of _OD	nsur ss:					
Paul Jon		d_ Kevin Met	z	being first	duly swore some	rdina da dasse dasses
and say that th	ey are experienced in	the work of plugging	n and fillinn	Oil and use walls and		
	are beingiboted ill file	WORK OF DIGINATION	STOR THURS	TOO GROUP WALL COLL !	had	
14 <u>.11</u>	day ofJuly	20 <u>14</u> and th	e well was	plugged and filled i	in the following ma	anner:
TYPE	FROM	ТО	DIF	PE REMOVED		
Cement	2180'	1896'	5 1/2		781 LE	EFT
Cement	1533'	14331	7" 7"	4'	/01	
_Gel	1433'	1145'				
Cement	1145'	1045'	Bond le	og ran from 15	05' to 61'	
Cement	8651	562'	Cut 5	1/2" @ 1483'		
Cement	3481	0'	Perfora	ated 5 1/2" @	1090' to 109	95': 940'
		L	to!	945'; 810' to	815'. 51/2"	cut @ 702'
Description o	f monument: 7" pip	e 4' above 'or	round w	ith ADT #		
said well was co	empleted on the 24th	day of July	. 2	014 and	that the work of	
		Kevin			A STATE OF THE STA	OFFICIAL SEAL NOTARY PUBLIC
And turther d	leponents saith not.	1 even	Mel		目的地位	STATE OF WEST VIUNNIA
		Yaul/h	سمد س		THE STATE OF THE S	DENISE H. PULLIAM 49 W. LINCOLN ST.
		- 4	1000		My	BUCKHANNON, WV 26201 CONTRIBUTION STATES STATES 12, 2018
Sworn and st	ubscribe before me this	s 8 day of	Jugu	I . 20 14		
	expires: 06/12/26/	_	7	19-		
				Notary Public	wwan	
flidavit ravia	al bursten Other and		0 1	1		
masii (eviewe	d by the Office of Oil a	nd Gas:	1	JUbra/II	Title: 0.16	Gas Inspector
		_				

Received Office of Oil & Gas

Emailed to Jash Cook 7/15/14

_Operator Well No.: Sun #3

API# 47-083-01074

OCT 29 2014

Farm name: Sun Lumber Co.

WR-38 Rev. 5/08

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

LOCATION	: Elevation: 2520 t		Quadranole:	Pickens		
•	District: Middl		=	Randolph		
	Latitude:					
	Longitude:	Feet West	of Dec	Min.	Sec.	
			,,beg		Sec.	
Well Type:	OIL GAS _X	<u> </u>				
Company	PDC Mountainee	r, LLC Coal	Operator See	Attached Lis	t	
	120 Genesis Bl	vd or Ow	ner			
	Bridgeport, WV	26330				
		Coal	Operator			
	Steven P. Joh	nson or Ow	ner			
Permit Issu	ed Date 04/2	4/2014				
				,		
STATE OF W	EST VIRGINIA		AFFIDAVIT			
	pshur ss:					
Paul Jo	ones and	Rodney Sn	ith	_being first duly s	worn according to la	aw depose
and say that th	ney are experienced in the					
יוטופוסעט ייטייי.	. and DankCidated in the	WORK OF DILLOGIDA	and filling the char	- دخلا تنجم المبيدمي		ienced on
uio <u>-22</u>	day ofJune	, 20_17 and th	e well was plugger	d and filled in the f	ollowing manner:	
TYPE	FROM	ТО	PIPE REN	40VED		
Gel	3335'	1800'		1015'	2320'	
Cement	3335'	3181'	3 1/2	1013	2320	
Cement	2573'	2466'				
Cement	1781'	1658'				
Gel	1658'	1065'				
Cement	1065'	953'	:			
LGel	9531	474'				
Cement Description	474' pi	ne 4' above d	round with A	DT #		
said well was o	completed on the 9th	dayor File	, 20 <u>14</u> .	and that t	he work of plugging	and filling
		- July	2014.			
And further	deponents saith not.	Koonen	Dmitte.	•	ATE:	OFFICIAL SEAL
		2/0/	7		A A A	NOTARY PUBLIC STATE OF WEST VIRGINIA
		Vand ye	me		ELIMENTE	DENISE H. PULLIAM 49 W. LINCOLN ST.
Swom and s	ubscribe before me this	11th day of	July :	2014		BUCKHANNON, WV 26201 commission expires June 12, 2018
My commission	expires: <u>06-13-30</u>	16	Denu	x H. Pul	lan	~~~~
		DeAA	Not Alanda	ary Public		
Affidavit reviewe	ed by the Office of Oil a	nd Gas: \\ \\ \alpha\left\land	Nalfield	Title:	orlagen	1not
		•			- Com	- Juctor
			U			

WR-38 Rev. 5/08 OCT 30 2014

API# 47- 103 - 01532

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL & GAS

RECEIVED
Office of Oil and G

AFFIDAVIT OF PLUGGING AND FILLING WELL

OCT 3 0 2014

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

WV Department c Environmental Protec

Farm Name:		L. S. Hoyt		Operator Well N	o.: 79	i	Environmen
Location:	Elevation	on: 1023'		Quadrangle:		Grove 7.5'	_
	District			County:	Wetzel	P	-
	Latitud		Feet South of:	Deg.		Min. Sec.	- ,
	Longitu	ıde:	Feet West of:	Deg.		Min. Sec.	
Well Type:	Oil	X Gas	wiw				
Company:	HG Ene	ergy, LLC		Coal Operator	CONSOL Energy	y	
		upont Road		or Owner	1000 CONSOL	Energy Drive	•
_	Parkers	sburg, WV 26101			Cannonsburg, F	PA 15317-6506	•
Agent:	Diane \	White	 	Coal Operator			- -
Permit Issued	:	7/24/14		or Owner			-
			AFFII	DAVIT			-
State of West	Virginia,	County of	Wood	ss:			
Tim	my Morri	s and)	im Lamp	being first o	duly sworn according	ıto
law, depose a	nd say th	nat they are experience					
		nd participated in the w					
on the 6t		of August				in the following man	
TYPE		FROM	TO	PIPE R	EMOVED	LEFT	1
Cement		2950'	2770'			1	1
Cement		2120'	2000'	6 5/8"	1465'	611'	1
Cement		1510'	1400'	8-1/4"	0'	1447'	1
Cement		970'	860'				1
Cement		550'	450'	· i			1
Cement		200'	0'				1
							1
		@ 963', 942' & 921'					
Contin	uous rip	s 921'-925' & 897'-872	<u>'</u>]
6% Gel Be	tween C	ement Plugs				 	-
							J
Description of			7" x 15'	· · · · · · · · · · · · · · · · · · ·	and that the wo	ork of plugging	
and filling said	i well wa	s completed on the	27thd	lay of	August	, 20 <u>14</u>	
And further de	enonente	saith not	Tan - A	9 m	_		
	-poncha		1mg	1000	<u> </u>	-	
		<u></u>	mes) 2	. Jame			
Sworn and sui	bscribed	before me this Q	Bal o	lay of CCX	new	,20 /4	-
My commissio	n expire	Q4. 4 30,		_			
	<					***********	
Notary Public		pr	no fee	say	STEELE	OFFICIAL:	SEAL
Affidavit review	wed by ti	he	_		Baa B	NOTARY PU STATE OF WEST	POLICI VIRGINIA
Office of Oil ar	nd Gas:					S. DIANNE DU P. O. Box 5	LANEY
Title:	51 4	Car Insaco	40/	_		Vienna, West Virgit	nia 26105

WR-38 Rev. 5/08 OCT-30 2014

Oil + Ger Inspector

Title:

AP# 47-103 - 02056

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL & GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm Name:	m Name: L. S. Hoyt					•	or Well No.:					
Location:	Elevati	on: _	1346'			Quadra			ne Grove	2.5'		
	District	t: <u>C</u>	Frant			County			/etzel			
	Latitud				South of:	39	Deg	37		50	Sec.	
	Longit	ude:_		Fee	t West of:	80	Deg.	37	_ Min	30	Sec.	
Well Type:	Oil	<u>x</u>	Gas	W	TW							
Company:	HG En	ergy,	LLC				perator _	Consol E				
5260 Dupont Road				or Owr	ner	1000 Consol Energy Dr. Cannonsburg, PA 16317						
Parkersburg, WV 26101					_		burg, PA	16317		·		
Agent:	Diane	<u>White</u>	<u> </u>				perator _	NA NA			3F/3F	n/ED
	_					or Owr	ner _				RECE	
Permit Issued	l:		2/19/13				-			Office	of O	il and Gas
						DAVIT						
State of West	: Virginia	, Cou	nty of		Wood		_ ss:			(CT 8	0 2014
Tim	ımy Mori	ris	and		:	Jim Lamp		being fir	st duly s	worn ac	cording	to
law, denose a	and say t	hat ti	ney are experier	nced in	the work of	plugging a	and filling oil	and gas w	ells and v	w ere V in	Dega	gtment of
the above on	erator a	nd na	rticinated in the	work o	of plugging a	nd filling t	the above we	ell, that sai	d work	wiren	ment	al Protection
			T sugust ∵									
on the	uor ua	y Oi _	August	<u>uiy</u>	20 14	and die w	eli was plagg	jeu anu mi	eu iii uie	IOHOVII	ng mam	.cı .
TYP	Ė		FROM	<u> </u>	TO		PIPE REN	10VED		LEFT		
Cement			2050'		1225'		41/2" - 0)		2076'	,	
Cement		1	300'		<u> </u>		7" - 0			218'		
		 										1
		+								·		I
		+-										l
		+							_			
		╫							-			
		+										
		┼					· · · · · · · · · · · · · · · · · · ·					
		+										
		4—		_			· · · · · · · · · · · · · · · · · · ·					
		<u></u>										
6% Gel B	etween	Ceme	nt Plugs									
	_	_										
Description o					1½" x 3'			nd that the	e work of		•	
and filling sai	id well w	as co	mpleted on the		<u>5th</u>	iay of		August		, 20 <u>1</u>	<u>4</u>	
						1	4					
And further d	leponent	s sait	h not.	10	mus 1	4 1	la					
				₹	1/0		- /					
				June	ע עני	Jon	R)					
Sworn and su	ubscribed	i hefa	me this	(22)	د الله الله الله الله الله الله الله الل	day of	octone	.)		, 20 /	· Ll	
				2011		day or	CETORE	<u> </u>		, 20 -	<u> </u>	••
My commission	on expire	ته.رر	17.4,0	NID			بالحاليات والماء. منطور		OFFIC	CIAL SE	AL.	_}
	•	$ \overline{}$			7		N TO WE	IVA	NOTAL	RYPUB	LIC	
Notary Public		Ł	2-12)	, (-	trilo	ب	1 1 A.		TATE OF			•
	_		Torre		7-5-5	\neg	5	地	S. DIANN	E DULA Box 5519		Į
Affidavit revie	ewed by	the	_		(enna, Wes	1 Virginia	26105	1
Office of Oil	-					\mathcal{J}		My Co	mmission	Expires (Dct. 4, 201	16 [
		•				_			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS



AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	HEARTWOOD FO	RESTLAND FU	JND IV LP_Opera	tor Well No.: 0130)80 (RITTER 26)
LOCATION:						_
	District: BAIL	EYSVILLE	Qua	drangle: BAILEY WYOM	ING	
	Latitudes		Cou	nty:		
	Latitude:	Feet	South of	Deg Min	Sec.	<i>:</i>
	Longitude:	Fee	t West of	DegMi	nSec	•
Weil Type: 0	OIL GAS	X				
Company	EQT PRODUCTIO	N COMPANY	010		_	RECEIVED
Company	120 PROFESSION		_ com operator	WPP, LLC		Office of Oil and Gas
	BRIDGEPORT, W		or Owner	5260 IRWIN ROAL		
		¥ 20000	- Coal Operator	HUNTINGTON, W	V 25705	OCT 3 0 2014
Agent	REX C. RAY		or Owner			
Permit Issue	ed Date 5/23	/2014	. Or Owner			WV Department of
	_		-		Env	ironmental Protection
STATE OF M	FOT VIDOU		AFFIDA	VIT		FORGOTION
County of KAN	EST VIRGINIA, IAWHA ss:					
	OMAS	and OSWALD	WILEY	heina fire	duly sworn accord	llaa ta tarret
and say that the	c) are exherienced	III GIE WORK OF	Diligging and tillin	a oil and age wolle or	ad	
the	day of AUGUS	, 20 <u>14</u>	, and the well wa	s plugged and filled	that said work wa in the following mai	nner:
TYPE	FROM	TO		DE DEMAN		
GEL HOLE	SURFACE	336		PE REMOVED	LE	FT
CEMENT	3368'	239				
CEMENT	2126'	197		7" FROM 2076' - 2070'	561' OF	10 3/4"
CEMENT	1372'	1000		7" FROM 1338' - 1331'		7" FFT 4004
CEMENT	630'	500		3 5/8" FROM 561' - 555		
CEMENT	310'	SURFA		FROM 230' - 225- AND 100' -	.000 01	0 0/0
Description of	f monument: EREC	T MONUMENT	F WITH ADI: 47-10	1000000		
	ompleted on the 12		DTE 1 10 00	a	nd that the work of p	lugging and filling
			,	20 <u>14</u> .		
And further d	leponents saith not.	1600	w MC	mas	him	m
		M)	. 10		A A A	OFFICIAL SEAL NOTARY PUBLIC
		apu	JOHOL ILI	elec-	用實驗	STATE OF WEST VINGINA DANIELLE N. BAYS
Sworn and su	ubscribe before me	this 16TH da	v of SEPTEMBER	$\mathcal{L}_{0.14}$	3230 P	Cathathan Easen, 110
			\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	2014	Comment	tornsylvatia Avenus, Charleston, WV 25302 Commission Replice February 10, 2015
My commission	expires: 2/10/20	15	_Da	ele n. ito	(m)	
				Notary Public	The same of the sa	
Affidavit reviewe	d by the Office of C	il and Gae:	VI. 1			1
	,	anu Gas	The same	will the same of t	Title: Znapa	doc
iiuavit reviewe	a by the Office of C	il and Gas:	they ken	willy	Title: In 2 Pa	edor
			<i>y V</i>	a	7	